

MOHAWK OPTIONS

Mohawk Options features Mohawk's exclusive Inxwell surface technology, combining incredible print fidelity with the lush tactile feel of fine uncoated paper. Including ultra-smooth Navajo, Options features six premium white shades and three refined finishes to complement a range of styles.



mohawk

1 800 THE MILL

105

MOHAWK OPTIONS

MANUFACTURING REQUIREMENTS

Skid packing: 5,000 lbs.
 Special size (folio): 5,000 lbs.
 Special basis weight: 10,000 lbs. (subject to trim)
 Pasting: 5,000 lbs. (standard basis weights only)
 Rolls: 5,000 lbs. (standard basis weights only)
 Cut sizes: 5,000 lbs. for standard cut size dimensions (standard basis weights only)
 Consult mill for all other items.

SPECIFICS

8.5 x 11, 8.27 x 11.69, 12 x 18, 13 x 19, 17 x 11, 18 x 12, 19 x 13, and international cartons contain wrapped packages of: 500 sheets text and 250 sheets cover (except double-thick cover items which are bulk packed 500 sheets per carton).

I-TONE® ONDEMAND PROGRAM

This grade contains approved i-Tone® OnDemand items. For a minimum of 1 carton, an approved item can be coated for use on HP Indigo, repackaged and shipped to the customer in its original size as a quick-turn special.
 Contact insidesales@mohawkpaper.com for specifics.

INXWELL

Mohawk's exclusive Inxwell technology creates an easy-running sheet with a tight surface and exceptional opacity. Ink and toner sit on top of the paper's surface for better color, greater detail, and outstanding performance in all popular printing processes.

PHYSICAL PROPERTIES

NAVAJO SMOOTH

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Brilliant White	60t/89	3.6	45	556	94	98
Brilliant White	24lb/90	3.6	45	556	94	98
Brilliant White	70t/104	4.1	45	488	95	98
Brilliant White	28lb/105	4.1	45	488	95	98
Brilliant White	80t/118	4.6	45	434	96	98
Brilliant White	32lb/120	4.6	45	434	96	98
Brilliant White	100t/148	6.0	45	334	97	98
Brilliant White	60c/162	6.3	45	318	97	98
Brilliant White	65c/176	6.9	45	290	97.5	98
Brilliant White	80c/216	8.2	45	244	98.5	98
Brilliant White	90c/243	9.1	45	220	99.5	98
Brilliant White	100dtc/270	10.5	45	190	99.5	98
Brilliant White	120dtc/324	13.0	45	154	99.5	98
Brilliant White	130dtc/352	14.0	45	142	99.5	98
Brilliant White	160dtc/432	16.5	45	122	99.5	98
Brilliant White	180dtc/486	18.5	45	108	99.5	98

All grades are run to basis weight and finish.

MOHAWK OPTIONS

SMOOTH

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Crystal White	70t/104	4.3	70	466	96	96
Crystal White	28lb/105	4.3	70	466	96	96
Crystal White	80t/118	5.1	70	392	97	96
Crystal White	100t/148	6.4	70	312	97	96
Crystal White	65c/176	7.8	100	256	98	96
Crystal White	80c/216	9.6	100	208	99	96
Crystal White	100dtc/270	12.1	70	166	99.5	96
100% PC White (i-Tone)	110dtc/298	13.0	100	154	99.5	—
Crystal White	130dtc/352	15.5	100	128	99.5	96

All grades are run to basis weight and finish. Caliper is approximate. (100% pcw fiber shades typically run lower in caliper than virgin shades.)

VELLUM

SHADE	LBS/GSM	CALIPER	SHEFFIELD	PPI	OPACITY	BRIGHTNESS
Crystal White	70t/104	5.1	260	392	96.5	96
Crystal White	80t/118	6.1	260	328	97	96
Crystal White	100t/148	7.2	260	318	97	96
Crystal White	80c/216	11.5	290	174	99.5	96
Crystal White	100dtc/270	14.5	260	138	99.5	96
Crystal White	130dtc/352	18.7	290	106	99.5	96

All grades are run to basis weight and finish. Caliper is approximate. (100% pcw fiber shades typically run lower in caliper than virgin shades.)

MOHAWK OPTIONS

NAVAJO SMOOTH

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
BRILLIANT WHITE / 98 bright / Inxwell / FSC						
24lb/90	8.27 x 11.69	210 x 297	12.42	2500	40	10-769
	35 x 23	889 x 584	103	1500	14	10-816
60t/89	23 x 35	584 x 889	102	1500	14	10-732
	25 x 38	635 x 965	120	1000	18	10-733
28lb/105	8.5 x 11	216 x 279	14	4000	40	10-734
	8.27 x 11.69	210 x 297	14.48	2500	40	10-772
	17 x 11	432 x 279	28	2000	40	10-735
	18 x 12	457 x 305	32.38	1000	49	10-760
70t/104	23 x 35	584 x 889	119	1000	18	10-736
	25 x 38	635 x 965	140	1000	14	10-737
	28 x 40	711 x 1016	166	800	16	10-838
32lb/120	8.5 x 11	216 x 279	16	4000	40	10-766
	17 x 11	432 x 279	32	2000	40	10-767
	18 x 12	457 x 305	37	1000	49	10-768
80t/118	12 x 18	305 x 457	36.38	2000	49	10-754
	19 x 25	483 x 635	80	2000	12	10-819
	23 x 35	584 x 889	136	1000	16	10-738
	25 x 38	635 x 965	160	1000	12	10-739
	28 x 40	711 x 1016	189	800	16	10-740
100t/148	19 x 25	483 x 635	100	1500	12	10-820
	23 x 35	584 x 889	169	750	16	10-741
	25 x 38	635 x 965	200	750	14	10-742
	28 x 40	711 x 1016	236	600	14	10-839
60c/162	28 x 40	711 x 1016	259	500	14	10-842
65c/176	8.5 x 11	216 x 279	23.38	2500	40	10-761
	17 x 11	432 x 279	46.76	1250	40	10-762
	18 x 12	457 x 305	54	750	49	10-784
	23 x 35	584 x 889	201	750	14	10-743
	25 x 38	635 x 965	238	500	14	10-787
	26 x 40	660 x 1016	260	500	16	10-744
	28 x 40	711 x 1016	280	400	14	10-788

MOHAWK OPTIONS

NAVAJO SMOOTH

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
BRILLIANT WHITE / 98 bright / Inxwell / FSC						
80c/216	8.5 x 11	216 x 279	28.76	2000	40	10-745
	17 x 11	432 x 279	57.52	1000	40	10-764
	12 x 18	305 x 457	66.46	1000	35	10-757
	18 x 12	457 x 305	66.46	500	49	10-765
	19 x 25	483 x 635	146	1000	14	10-801
	20 x 26	508 x 660	160	1000	12	10-822
	23 x 35	584 x 889	248	500	16	10-746
	25 x 38	635 x 965	292	500	14	10-802
90c/243	26 x 40	660 x 1016	320	500	12	10-747
	28 x 40	711 x 1016	345	400	14	10-748
	8.5 x 11	216 x 279	32.38	1500	40	10-829
	17 x 11	432 x 279	64.74	750	40	10-828
	18 x 12	457 x 305	74.78	500	49	10-827
	23 x 35	584 x 889	279	500	14	10-826
	26 x 40	660 x 1016	360	400	12	10-825
	28 x 40	711 x 1016	388	350	14	10-845
100dtc/270	19 x 25	483 x 635	183	750	12	10-806
	20 x 26	508 x 660	200	750	12	10-833
	23 x 35	584 x 889	310	500	14	10-832
	35 x 23	889 x 584	310	500	14	10-749
	25 x 38	635 x 965	366	400	12	10-807
	26 x 40	660 x 1016	400	400	12	10-750
120dtc/324	20 x 26	508 x 660	240	500	12	10-850
	23 x 35	584 x 889	372	250	20	10-851
	26 x 40	660 x 1016	480	250	12	10-852
130dtc/352	20 x 26	508 x 660	260	500	12	10-834
	23 x 35	584 x 889	403	400	12	10-835
	35 x 23	889 x 584	403	400	12	10-751
	26 x 40	660 x 1016	520	300	12	10-752
	23 x 35	584 x 889	495	200	12	10-856
160dtc/432	26 x 40	660 x 1016	640	200	12	10-857
	23 x 35	584 x 889	557	150	12	10-861
180dtc/486	26 x 40	660 x 1016	720	150	12	10-862

NAVAJO SMOOTH XEIKON ROLLS

WEIGHT LBS/GSM	WIDTH INCHES	WIDTH MM	DIAMETER INCHES	LINEAL FEET	CARTONS/ PALLET	WEIGHT	CODE NUMBER
BRILLIANT WHITE / 98 bright / Inxwell / FSC							
80c/216	19.7	500	15	1325	12	96	10-798

MOHAWK OPTIONS

SMOOTH

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
CRYSTAL WHITE / 96 bright / Inxwell / FSC						
70t/104	23 x 35	584 x 889	119	1000	18	57-4003
	25 x 38	635 x 965	140	1000	14	57-4004
80t/118	23 x 35	584 x 889	136	1000	16	57-4006
	25 x 38	635 x 965	160	1000	12	57-4007
	28 x 40	711 x 1016	189	800	16	57-4008
	100t/148	23 x 35	584 x 889	169	750	16
	25 x 38	635 x 965	200	750	14	57-4010
	28 x 40	711 x 1016	236	600	12	57-4059
65c/176	23 x 35	584 x 889	201	750	14	57-4013
	26 x 40	660 x 1016	260	500	16	57-4014
80c/216	23 x 35	584 x 889	248	500	16	57-4017
	26 x 40	660 x 1016	320	500	12	57-4018
100dtc/270	23 x 35	584 x 889	310	500	12	57-4022
	26 x 40	660 x 1016	400	400	12	57-4023
130dtc/352	23 x 35	584 x 889	403	400	12	57-4024
	26 x 40	660 x 1016	520	300	12	57-4025

TRUE WHITE 96 / 30% pcw / 96 bright / Inxwell / FSC

28lb/105	8.5 x 11	216 x 279	14	4000	40	57-3230
70t/104	23 x 35	584 x 889	119	1000	18	57-3233
	25 x 38	635 x 965	140	1000	14	57-3235
	28 x 40	711 x 1016	165	800	16	57-3237
	80t/118	23 x 35	584 x 889	136	1000	16
25 x 38		635 x 965	160	1000	12	57-3243
	28 x 40	711 x 1016	189	800	16	57-3245
	100t/148	23 x 35	584 x 889	169	750	16
25 x 38		635 x 965	200	750	14	57-3249
	28 x 40	711 x 1016	236	600	12	57-4060
	65c/176	23 x 35	584 x 889	201	750	14
26 x 40		660 x 1016	260	500	16	57-3255
80c/216	23 x 35	584 x 889	248	500	16	57-3261
	26 x 40	660 x 1016	320	500	12	57-3263
	28 x 40	711 x 1016	345	400	12	57-3297
	100dtc/270	23 x 35	584 x 889	310	500	12
26 x 40		660 x 1016	400	400	12	57-3267
130dtc/352	23 x 35	584 x 889	403	400	12	57-3269
	26 x 40	660 x 1016	520	300	12	57-3271

MOHAWK OPTIONS

SMOOTH

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
100% PC WHITE / 100% pcw / Inxwell / FSC						
28lb/105	8.5 x 11	216 x 279	14	4000	40	58-4505
70t/104	23 x 35	584 x 889	119	1000	18	58-4507
	25 x 38	635 x 965	140	1000	14	58-4508
	28 x 40	711 x 1016	165	800	16	58-4509
80t/118	23 x 35	584 x 889	136	1000	16	58-4501
	25 x 38	635 x 965	160	1000	12	58-4504
	28 x 40	711 x 1016	189	800	16	58-4510
100t/148	23 x 35	584 x 889	169	750	16	58-4511
	25 x 38	635 x 965	200	750	14	58-4512
	28 x 40	711 x 1016	236	600	12	58-4546
65c/176	23 x 35	584 x 889	201	750	14	58-4513
	26 x 40	660 x 1016	260	500	16	58-4514
80c/216	23 x 35	584 x 889	248	500	16	58-4503
	26 x 40	660 x 1016	320	500	12	58-4517
	28 x 40	711 x 1016	345	400	12	58-4547
100dtc/270	23 x 35	584 x 889	310	500	12	58-4518
	26 x 40	660 x 1016	400	400	12	58-4519
130dtc/352	23 x 35	584 x 889	403	400	12	58-4520
	26 x 40	660 x 1016	520	300	12	58-4521
100% PC COOL WHITE / 100% pcw / Inxwell / FSC						
70t/104	23 x 35	584 x 889	119	1000	18	58-4522
	25 x 38	635 x 965	140	1000	14	58-4523
80t/118	23 x 35	584 x 889	136	1000	16	58-4524
	25 x 38	635 x 965	160	1000	12	58-4525
65c/176	23 x 35	584 x 889	201	750	14	58-4526
80c/216	23 x 35	584 x 889	248	500	16	58-4528
	26 x 40	660 x 1016	320	500	12	58-4529
100dtc/270	23 x 35	584 x 889	310	500	12	58-4530
	26 x 40	660 x 1016	400	400	12	58-4531
130dtc/352	23 x 35	584 x 889	403	400	12	58-4532
	26 x 40	660 x 1016	520	300	12	58-4533
100% PC CREAM WHITE / 100% pcw / Inxwell / FSC						
70t/104	23 x 35	584 x 889	119	1000	18	58-4534
	25 x 38	635 x 965	140	1000	14	58-4535
80t/118	23 x 35	584 x 889	136	1000	16	58-4536
	25 x 38	635 x 965	160	1000	12	58-4537
80c/216	23 x 35	584 x 889	248	500	16	58-4540
	26 x 40	660 x 1016	320	500	12	58-4541
100dtc/270	23 x 35	584 x 889	310	500	12	58-4542
	26 x 40	660 x 1016	400	400	12	58-4543

MOHAWK OPTIONS

SMOOTH DIGITAL WITH I-TONE

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
100% PC WHITE / 100% pcw / Inxwell / FSC						
80t/118	12 x 18	305 x 457	36.38	1000	49	58-4548
	13 x 19	330 x 483	42.26	1000	49	58-4549
	29.4375 x 20.75	748 x 527	103	750	24	58-9421
100t/148	12 x 18	305 x 457	45.46	1000	42	58-4550
	13 x 19	330 x 483	52	1000	42	58-4551
	29.4375 x 20.75	748 x 527	129	600	24	58-9422
65c/176	18 x 12	457 x 305	54	750	49	58-4552
	19 x 13	483 x 330	62	750	42	58-4553
80c/216	18 x 12	457 x 305	66.46	500	49	58-4554
	19 x 13	483 x 330	76	500	49	58-4555
	20.75 x 29.4375	527 x 748	188	400	24	58-9423
110dtc/297*	18 x 12	457 x 305	91.38	500	42	58-4556
	19 x 13	483 x 330	104.5	500	42	58-4557
	20.75 x 29.4375	527 x 748	258	300	24	58-9424
130dtc/352*	18 x 12	457 x 305	108	500	35	58-4558
	19 x 13	483 x 330	123.5	500	35	58-4559
	20.75 x 29.4375	527 x 748	305	250	24	58-9425

*dte items are for HP Indigo use only, not designed for high-heat fusing digital presses.

MOHAWK OPTIONS

VELLUM

WEIGHT LBS/GSM	INCHES	MM	M WT	SHEETS/ CARTON	CARTONS/ PALLET	CODE NUMBER
-------------------	--------	----	---------	-------------------	--------------------	----------------

CRYSTAL WHITE / 96 bright / Inxwell / FSC

70t/104	23 x 35	584 x 889	119	1000	18	57-4026
	25 x 38	635 x 965	140	1000	14	57-4027
80t/118	23 x 35	584 x 889	136	1000	16	57-4028
	25 x 38	635 x 965	160	1000	12	57-4029
100t/148	25 x 38	635 x 965	200	750	14	57-4031
80c/216	23 x 35	584 x 889	248	500	16	57-4034
	26 x 40	660 x 1016	320	500	12	57-4035
100dtc/270	23 x 35	584 x 889	310	500	12	57-4036
	26 x 40	660 x 1016	400	400	12	57-4037
130dtc/352	26 x 40	660 x 1016	520	300	12	57-4039

TRUE WHITE 96 / 30% pcw / 96 bright / Inxwell / FSC

70t/104	23 x 35	584 x 889	119	1000	18	57-3234
	25 x 38	635 x 965	140	1000	14	57-3236
80t/118	23 x 35	584 x 889	136	1000	16	57-3242
	25 x 38	635 x 965	160	1000	12	57-3244
100t/148	23 x 35	584 x 889	169	750	16	57-3248
	25 x 38	635 x 965	200	750	14	57-3250
65c/176	23 x 35	584 x 889	201	750	14	57-3254
	26 x 40	660 x 1016	260	500	16	57-3256
80c/216	23 x 35	584 x 889	248	500	16	57-3262
	26 x 40	660 x 1016	320	500	12	57-3264
100dtc/270	23 x 35	584 x 889	310	500	12	57-3266
	26 x 40	660 x 1016	400	400	12	57-3268
130dtc/352	23 x 35	584 x 889	403	400	12	57-3270
	26 x 40	660 x 1016	520	300	12	57-3272

100% PC WHITE / 100% pcw / Inxwell / FSC

70t/104	23 x 35	584 x 889	119	1000	18	58-4564
	25 x 38	635 x 965	140	1000	14	58-4565
80t/118	23 x 35	584 x 889	136	1000	16	58-4566
	25 x 38	635 x 965	160	1000	12	58-4567
100t/148	23 x 35	584 x 889	169	750	16	58-4568
	25 x 38	635 x 965	200	750	14	58-4569
65c/176	26 x 40	660 x 1016	260	500	16	58-4571
80c/216	26 x 40	660 x 1016	320	500	12	58-4573
100dtc/270	23 x 35	584 x 889	310	500	12	58-4574
	26 x 40	660 x 1016	400	400	12	58-4575
130dtc/352	23 x 35	584 x 889	403	400	12	58-4576
	26 x 40	660 x 1016	520	300	12	58-4577