

MOHAWK OPTIONS

Mohawk Options features Mohawk's exclusive Inxwell surface technology, combining incredible print fidelity with the lush tactile feel of fine uncoated paper. Including ultra-smooth Navajo, Options features six premium white shades and three refined finishes to complement a range of styles.



mohawk

MOHAWKCONNECTS.COM

MOHAWK OPTIONS

MANUFACTURING REQUIREMENTS

Skid packing: 5,000 lbs.

Special size (folio): 5,000 lbs.

Special basis weight: 10,000 lbs. (subject to trim)

Pasting: 5,000 lbs. (standard basis weights only)

Rolls: 5,000 lbs. (standard basis weights only)

Cut sizes: 5,000 lbs. for standard cut size dimensions (standard basis weights only)

Consult mill for all other items.

SPECIFICS

8.5 x 11, 8.27 x 11.69, 12 x 18, 13 x 19, 17 x 11, 18 x 12, 19 x 13, and international cartons contain wrapped packages of: 500 sheets text and 250 sheets cover (except double-thick cover items which are bulk packed 500 sheets per carton).

I-TONE® ONDEMAND PROGRAM

This grade contains approved i-Tone® OnDemand items. For a minimum of 1 carton, an approved item can be coated for use on HP Indigo, repackaged and shipped to the customer in its original size as a quick-turn special.

Contact insidesales@mohawkpaper.com for specifics.

INXWELL

Mohawk's exclusive Inxwell technology creates an easy-running sheet with a tight surface and exceptional opacity. Ink and toner sit on top of the paper's surface for better color, greater detail, and outstanding performance in all popular printing processes.

PHYSICAL PROPERTIES

NAVAJO SMOOTH

| SHADE | LBS/GSM | CALIPER | SHEFFIELD | PPI | OPACITY | BRIGHTNESS |
|-----------------|------------|---------|-----------|-----|---------|------------|
| Brilliant White | 60t/89 | 3.6 | 45 | 556 | 94 | 98 |
| Brilliant White | 24lb/90 | 3.6 | 45 | 556 | 94 | 98 |
| Brilliant White | 70t/104 | 4.1 | 45 | 488 | 95 | 98 |
| Brilliant White | 28lb/105 | 4.1 | 45 | 488 | 95 | 98 |
| Brilliant White | 80t/118 | 4.6 | 45 | 434 | 96 | 98 |
| Brilliant White | 32lb/120 | 4.6 | 45 | 434 | 96 | 98 |
| Brilliant White | 100t/148 | 6.0 | 45 | 334 | 97 | 98 |
| Brilliant White | 60c/162 | 6.3 | 45 | 318 | 97 | 98 |
| Brilliant White | 65c/176 | 6.9 | 45 | 290 | 97.5 | 98 |
| Brilliant White | 80c/216 | 8.2 | 45 | 244 | 98.5 | 98 |
| Brilliant White | 90c/243 | 9.1 | 45 | 220 | 99.5 | 98 |
| Brilliant White | 100dct/270 | 10.5 | 45 | 190 | 99.5 | 98 |
| Brilliant White | 120dct/324 | 13.0 | 45 | 154 | 99.5 | 98 |
| Brilliant White | 130dct/352 | 14.0 | 45 | 142 | 99.5 | 98 |
| Brilliant White | 160dct/432 | 16.5 | 45 | 122 | 99.5 | 98 |
| Brilliant White | 180dct/486 | 18.5 | 45 | 108 | 99.5 | 98 |

All grades are run to basis weight and finish.



mohawk

MOHAWKCONNECTS.COM

MOHAWK OPTIONS

SMOOTH

| SHADE | LBS/GSM | CALIPER | SHEFFIELD | PPI | OPACITY | BRIGHTNESS |
|------------------------|------------|---------|-----------|-----|---------|------------|
| Crystal White | 70t/104 | 4.3 | 70 | 466 | 96 | 96 |
| Crystal White | 28lb/105 | 4.3 | 70 | 466 | 96 | 96 |
| Crystal White | 80t/118 | 5.1 | 70 | 392 | 97 | 96 |
| Crystal White | 100t/148 | 6.4 | 70 | 312 | 97 | 96 |
| Crystal White | 65c/176 | 7.8 | 100 | 256 | 98 | 96 |
| Crystal White | 80c/216 | 9.6 | 100 | 208 | 99 | 96 |
| Crystal White | 100dte/270 | 12.1 | 70 | 166 | 99.5 | 96 |
| 100% PC White (i-Tone) | 110dte/298 | 13.0 | 100 | 154 | 99.5 | — |
| Crystal White | 130dte/352 | 15.5 | 100 | 128 | 99.5 | 96 |

All grades are run to basis weight and finish. Caliper is approximate. (100% pcw fiber shades typically run lower in caliper than virgin shades.)

VELLUM

| SHADE | LBS/GSM | CALIPER | SHEFFIELD | PPI | OPACITY | BRIGHTNESS |
|---------------|------------|---------|-----------|-----|---------|------------|
| Crystal White | 70t/104 | 5.1 | 260 | 392 | 96.5 | 96 |
| Crystal White | 80t/118 | 6.1 | 260 | 328 | 97 | 96 |
| Crystal White | 100t/148 | 7.2 | 260 | 318 | 97 | 96 |
| Crystal White | 80c/216 | 11.5 | 290 | 174 | 99.5 | 96 |
| Crystal White | 100dte/270 | 14.5 | 260 | 138 | 99.5 | 96 |
| Crystal White | 130dte/352 | 18.7 | 290 | 106 | 99.5 | 96 |

All grades are run to basis weight and finish. Caliper is approximate. (100% pcw fiber shades typically run lower in caliper than virgin shades.)



mohawk

MOHAWKCONNECTS.COM

MOHAWK OPTIONS

NAVAJO SMOOTH

| WEIGHT LBS/GSM | INCHES | MM | M WT | SHEETS/ CARTON | CARTONS/ PALLET | CODE NUMBER |
|--|--------------|------------|---------|-------------------|--------------------|----------------|
| BRILLIANT WHITE / 98 bright / Inxwell / FSC | | | | | | |
| 24lb/90 | 8.27 x 11.69 | 210 x 297 | 12.42 | 2500 | 40 | 10-769 |
| | 35 x 23 | 889 x 584 | 103 | 1500 | 14 | 10-816 |
| 60t/89 | 23 x 35 | 584 x 889 | 102 | 1500 | 14 | 10-732 |
| | 25 x 38 | 635 x 965 | 120 | 1000 | 18 | 10-733 |
| 28lb/105 | 8.5 x 11 | 216 x 279 | 14 | 4000 | 40 | 10-734 |
| | 8.27 x 11.69 | 210 x 297 | 14.48 | 2500 | 40 | 10-772 |
| | 17 x 11 | 432 x 279 | 28 | 2000 | 40 | 10-735 |
| 70t/104 | 18 x 12 | 457 x 305 | 32.38 | 1000 | 49 | 10-760 |
| | 23 x 35 | 584 x 889 | 119 | 1000 | 18 | 10-736 |
| | 25 x 38 | 635 x 965 | 140 | 1000 | 14 | 10-737 |
| 32lb/120 | 28 x 40 | 711 x 1016 | 166 | 800 | 16 | 10-838 |
| | 8.5 x 11 | 216 x 279 | 16 | 4000 | 40 | 10-766 |
| | 17 x 11 | 432 x 279 | 32 | 2000 | 40 | 10-767 |
| 80t/118 | 18 x 12 | 457 x 305 | 37 | 1000 | 49 | 10-768 |
| | 12 x 18 | 305 x 457 | 36.38 | 2000 | 49 | 10-754 |
| | 19 x 25 | 483 x 635 | 80 | 2000 | 12 | 10-819 |
| 100t/148 | 23 x 35 | 584 x 889 | 136 | 1000 | 16 | 10-738 |
| | 25 x 38 | 635 x 965 | 160 | 1000 | 12 | 10-739 |
| | 28 x 40 | 711 x 1016 | 189 | 800 | 16 | 10-740 |
| | 19 x 25 | 483 x 635 | 100 | 1500 | 12 | 10-820 |
| 60c/162 | 23 x 35 | 584 x 889 | 169 | 750 | 16 | 10-741 |
| | 25 x 38 | 635 x 965 | 200 | 750 | 14 | 10-742 |
| | 28 x 40 | 711 x 1016 | 236 | 600 | 14 | 10-839 |
| | 28 x 40 | 711 x 1016 | 259 | 500 | 14 | 10-842 |
| 65c/176 | 8.5 x 11 | 216 x 279 | 23.38 | 2500 | 40 | 10-761 |
| | 17 x 11 | 432 x 279 | 46.76 | 1250 | 40 | 10-762 |
| | 18 x 12 | 457 x 305 | 54 | 750 | 49 | 10-784 |
| | 23 x 35 | 584 x 889 | 201 | 750 | 14 | 10-743 |
| | 25 x 38 | 635 x 965 | 238 | 500 | 14 | 10-787 |
| | 26 x 40 | 660 x 1016 | 260 | 500 | 16 | 10-744 |
| | 28 x 40 | 711 x 1016 | 280 | 400 | 14 | 10-788 |



mohawk

MOHAWKCONNECTS.COM

MOHAWK OPTIONS

NAVAJO SMOOTH

| WEIGHT LBS/GSM | INCHES | MM | M WT | SHEETS/ CARTON | CARTONS/ PALLET | CODE NUMBER |
|--|----------|------------|---------|-------------------|--------------------|----------------|
| BRILLIANT WHITE / 98 bright / Inxwell / FSC | | | | | | |
| 80c/216 | 8.5 x 11 | 216 x 279 | 28.76 | 2000 | 40 | 10-745 |
| | 17 x 11 | 432 x 279 | 57.52 | 1000 | 40 | 10-764 |
| | 12 x 18 | 305 x 457 | 66.46 | 1000 | 35 | 10-757 |
| | 18 x 12 | 457 x 305 | 66.46 | 500 | 49 | 10-765 |
| | 19 x 25 | 483 x 635 | 146 | 1000 | 14 | 10-801 |
| | 20 x 26 | 508 x 660 | 160 | 1000 | 12 | 10-822 |
| | 23 x 35 | 584 x 889 | 248 | 500 | 16 | 10-746 |
| | 25 x 38 | 635 x 965 | 292 | 500 | 14 | 10-802 |
| | 26 x 40 | 660 x 1016 | 320 | 500 | 12 | 10-747 |
| | 28 x 40 | 711 x 1016 | 345 | 400 | 14 | 10-748 |
| 90c/243 | 8.5 x 11 | 216 x 279 | 32.38 | 1500 | 40 | 10-829 |
| | 17 x 11 | 432 x 279 | 64.74 | 750 | 40 | 10-828 |
| | 18 x 12 | 457 x 305 | 74.78 | 500 | 49 | 10-827 |
| | 23 x 35 | 584 x 889 | 279 | 500 | 14 | 10-826 |
| | 26 x 40 | 660 x 1016 | 360 | 400 | 12 | 10-825 |
| | 28 x 40 | 711 x 1016 | 388 | 350 | 14 | 10-845 |
| 100dct/270 | 19 x 25 | 483 x 635 | 183 | 750 | 12 | 10-806 |
| | 20 x 26 | 508 x 660 | 200 | 750 | 12 | 10-833 |
| | 23 x 35 | 584 x 889 | 310 | 500 | 14 | 10-832 |
| | 35 x 23 | 889 x 584 | 310 | 500 | 14 | 10-749 |
| | 25 x 38 | 635 x 965 | 366 | 400 | 12 | 10-807 |
| | 26 x 40 | 660 x 1016 | 400 | 400 | 12 | 10-750 |
| 120dct/324 | 20 x 26 | 508 x 660 | 240 | 500 | 12 | 10-850 |
| | 23 x 35 | 584 x 889 | 372 | 250 | 20 | 10-851 |
| | 26 x 40 | 660 x 1016 | 480 | 250 | 12 | 10-852 |
| 130dct/352 | 20 x 26 | 508 x 660 | 260 | 500 | 12 | 10-834 |
| | 23 x 35 | 584 x 889 | 403 | 400 | 12 | 10-835 |
| | 35 x 23 | 889 x 584 | 403 | 400 | 12 | 10-751 |
| | 26 x 40 | 660 x 1016 | 520 | 300 | 12 | 10-752 |
| 160dct/432 | 23 x 35 | 584 x 889 | 495 | 200 | 12 | 10-856 |
| | 26 x 40 | 660 x 1016 | 640 | 200 | 12 | 10-857 |
| 180dct/486 | 23 x 35 | 584 x 889 | 557 | 150 | 12 | 10-861 |
| | 26 x 40 | 660 x 1016 | 720 | 150 | 12 | 10-862 |

NAVAJO SMOOTH XEIKON ROLLS

| WEIGHT LBS/GSM | WIDTH INCHES | WIDTH MM | DIAMETER INCHES | LINEAL FEET | CARTONS/ PALLET | WEIGHT | CODE NUMBER |
|--|-----------------|-------------|--------------------|----------------|--------------------|--------|----------------|
| BRILLIANT WHITE / 98 bright / Inxwell / FSC | | | | | | | |
| 80c/216 | 19.7 | 500 | 15 | 1325 | 12 | 96 | 10-798 |



mohawk

MOHAWKCONNECTS.COM

MOHAWK OPTIONS

SMOOTH

| WEIGHT LBS/GSM | INCHES | MM | M WT | SHEETS/ CARTON | CARTONS/ PALLET | CODE NUMBER |
|--|----------|------------|-----------|-------------------|--------------------|----------------|
| CRYSTAL WHITE / 96 bright / Inxwell / FSC | | | | | | |
| 70t/104 | 23 x 35 | 584 x 889 | 119 | 1000 | 18 | 57-4003 |
| | 25 x 38 | 635 x 965 | 140 | 1000 | 14 | 57-4004 |
| 80t/118 | 23 x 35 | 584 x 889 | 136 | 1000 | 16 | 57-4006 |
| | 25 x 38 | 635 x 965 | 160 | 1000 | 12 | 57-4007 |
| | 28 x 40 | 711 x 1016 | 189 | 800 | 16 | 57-4008 |
| | 100t/148 | 23 x 35 | 584 x 889 | 169 | 750 | 16 |
| | 25 x 38 | 635 x 965 | 200 | 750 | 14 | 57-4010 |
| | 28 x 40 | 711 x 1016 | 236 | 600 | 12 | 57-4059 |
| 65c/176 | 23 x 35 | 584 x 889 | 201 | 750 | 14 | 57-4013 |
| | 26 x 40 | 660 x 1016 | 260 | 500 | 16 | 57-4014 |
| 80c/216 | 23 x 35 | 584 x 889 | 248 | 500 | 16 | 57-4017 |
| | 26 x 40 | 660 x 1016 | 320 | 500 | 12 | 57-4018 |
| 100dtc/270 | 23 x 35 | 584 x 889 | 310 | 500 | 12 | 57-4022 |
| | 26 x 40 | 660 x 1016 | 400 | 400 | 12 | 57-4023 |
| 130dtc/352 | 23 x 35 | 584 x 889 | 403 | 400 | 12 | 57-4024 |
| | 26 x 40 | 660 x 1016 | 520 | 300 | 12 | 57-4025 |
| TRUE WHITE 96 / 30% pcw / 96 bright / Inxwell / FSC | | | | | | |
| 28lb/105 | 8.5 x 11 | 216 x 279 | 14 | 4000 | 40 | 57-3230 |
| 70t/104 | 23 x 35 | 584 x 889 | 119 | 1000 | 18 | 57-3233 |
| | 25 x 38 | 635 x 965 | 140 | 1000 | 14 | 57-3235 |
| | 28 x 40 | 711 x 1016 | 165 | 800 | 16 | 57-3237 |
| | 80t/118 | 23 x 35 | 584 x 889 | 136 | 1000 | 16 |
| | 25 x 38 | 635 x 965 | 160 | 1000 | 12 | 57-3243 |
| | 28 x 40 | 711 x 1016 | 189 | 800 | 16 | 57-3245 |
| 100t/148 | 23 x 35 | 584 x 889 | 169 | 750 | 16 | 57-3247 |
| | 25 x 38 | 635 x 965 | 200 | 750 | 14 | 57-3249 |
| | 28 x 40 | 711 x 1016 | 236 | 600 | 12 | 57-4060 |
| | 65c/176 | 23 x 35 | 584 x 889 | 201 | 750 | 14 |
| | 26 x 40 | 660 x 1016 | 260 | 500 | 16 | 57-3255 |
| | 80c/216 | 23 x 35 | 584 x 889 | 248 | 500 | 16 |
| | 26 x 40 | 660 x 1016 | 320 | 500 | 12 | 57-3263 |
| | 28 x 40 | 711 x 1016 | 345 | 400 | 12 | 57-3297 |
| 100dtc/270 | 23 x 35 | 584 x 889 | 310 | 500 | 12 | 57-3265 |
| | 26 x 40 | 660 x 1016 | 400 | 400 | 12 | 57-3267 |
| 130dtc/352 | 23 x 35 | 584 x 889 | 403 | 400 | 12 | 57-3269 |
| | 26 x 40 | 660 x 1016 | 520 | 300 | 12 | 57-3271 |



mohawk

MOHAWKCONNECTS.COM

MOHAWK OPTIONS

SMOOTH

| WEIGHT LBS/GSM | INCHES | MM | M WT | SHEETS/ CARTON | CARTONS/ PALLET | CODE NUMBER |
|---|----------|------------|---------|-------------------|--------------------|----------------|
| 100% PC WHITE / 100% pcw / Inxwell / FSC | | | | | | |
| 28lb/105 | 8.5 x 11 | 216 x 279 | 14 | 4000 | 40 | 58-4505 |
| 70t/104 | 23 x 35 | 584 x 889 | 119 | 1000 | 18 | 58-4507 |
| | 25 x 38 | 635 x 965 | 140 | 1000 | 14 | 58-4508 |
| | 28 x 40 | 711 x 1016 | 165 | 800 | 16 | 58-4509 |
| 80t/118 | 23 x 35 | 584 x 889 | 136 | 1000 | 16 | 58-4501 |
| | 25 x 38 | 635 x 965 | 160 | 1000 | 12 | 58-4504 |
| | 28 x 40 | 711 x 1016 | 189 | 800 | 16 | 58-4510 |
| 100t/148 | 23 x 35 | 584 x 889 | 169 | 750 | 16 | 58-4511 |
| | 25 x 38 | 635 x 965 | 200 | 750 | 14 | 58-4512 |
| | 28 x 40 | 711 x 1016 | 236 | 600 | 12 | 58-4546 |
| 65c/176 | 23 x 35 | 584 x 889 | 201 | 750 | 14 | 58-4513 |
| | 26 x 40 | 660 x 1016 | 260 | 500 | 16 | 58-4514 |
| 80c/216 | 23 x 35 | 584 x 889 | 248 | 500 | 16 | 58-4503 |
| | 26 x 40 | 660 x 1016 | 320 | 500 | 12 | 58-4517 |
| | 28 x 40 | 711 x 1016 | 345 | 400 | 12 | 58-4547 |
| 100dtc/270 | 23 x 35 | 584 x 889 | 310 | 500 | 12 | 58-4518 |
| | 26 x 40 | 660 x 1016 | 400 | 400 | 12 | 58-4519 |
| 130dtc/352 | 23 x 35 | 584 x 889 | 403 | 400 | 12 | 58-4520 |
| | 26 x 40 | 660 x 1016 | 520 | 300 | 12 | 58-4521 |
| 100% PC COOL WHITE / 100% pcw / Inxwell / FSC | | | | | | |
| 70t/104 | 23 x 35 | 584 x 889 | 119 | 1000 | 18 | 58-4522 |
| | 25 x 38 | 635 x 965 | 140 | 1000 | 14 | 58-4523 |
| 80t/118 | 23 x 35 | 584 x 889 | 136 | 1000 | 16 | 58-4524 |
| | 25 x 38 | 635 x 965 | 160 | 1000 | 12 | 58-4525 |
| 65c/176 | 23 x 35 | 584 x 889 | 201 | 750 | 14 | 58-4526 |
| 80c/216 | 23 x 35 | 584 x 889 | 248 | 500 | 16 | 58-4528 |
| | 26 x 40 | 660 x 1016 | 320 | 500 | 12 | 58-4529 |
| 100dtc/270 | 23 x 35 | 584 x 889 | 310 | 500 | 12 | 58-4530 |
| | 26 x 40 | 660 x 1016 | 400 | 400 | 12 | 58-4531 |
| 130dtc/352 | 23 x 35 | 584 x 889 | 403 | 400 | 12 | 58-4532 |
| | 26 x 40 | 660 x 1016 | 520 | 300 | 12 | 58-4533 |
| 100% PC CREAM WHITE / 100% pcw / Inxwell / FSC | | | | | | |
| 70t/104 | 23 x 35 | 584 x 889 | 119 | 1000 | 18 | 58-4534 |
| | 25 x 38 | 635 x 965 | 140 | 1000 | 14 | 58-4535 |
| 80t/118 | 23 x 35 | 584 x 889 | 136 | 1000 | 16 | 58-4536 |
| | 25 x 38 | 635 x 965 | 160 | 1000 | 12 | 58-4537 |
| 80c/216 | 23 x 35 | 584 x 889 | 248 | 500 | 16 | 58-4540 |
| | 26 x 40 | 660 x 1016 | 320 | 500 | 12 | 58-4541 |
| 100dtc/270 | 23 x 35 | 584 x 889 | 310 | 500 | 12 | 58-4542 |
| | 26 x 40 | 660 x 1016 | 400 | 400 | 12 | 58-4543 |



mohawk

MOHAWKCONNECTS.COM

MOHAWK OPTIONS

SMOOTH DIGITAL WITH I-TONE

| WEIGHT LBS/GSM | INCHES | MM | M WT | SHEETS/ CARTON | CARTONS/ PALLET | CODE NUMBER |
|---|-----------------|-----------|---------|-------------------|--------------------|----------------|
| 100% PC WHITE / 100% pcw / Inxwell / FSC | | | | | | |
| 80t/118 | 12 x 18 | 305 x 457 | 36.38 | 1000 | 49 | 58-4548 |
| | 13 x 19 | 330 x 483 | 42.26 | 1000 | 49 | 58-4549 |
| | 29.4375 x 20.75 | 748 x 527 | 103 | 750 | 24 | 58-9421 |
| 100t/148 | 12 x 18 | 305 x 457 | 45.46 | 1000 | 42 | 58-4550 |
| | 13 x 19 | 330 x 483 | 52 | 1000 | 42 | 58-4551 |
| | 29.4375 x 20.75 | 748 x 527 | 129 | 600 | 24 | 58-9422 |
| 65c/176 | 18 x 12 | 457 x 305 | 54 | 750 | 49 | 58-4552 |
| | 19 x 13 | 483 x 330 | 62 | 750 | 42 | 58-4553 |
| 80c/216 | 18 x 12 | 457 x 305 | 66.46 | 500 | 49 | 58-4554 |
| | 19 x 13 | 483 x 330 | 76 | 500 | 49 | 58-4555 |
| | 20.75 x 29.4375 | 527 x 748 | 188 | 400 | 24 | 58-9423 |
| 110dtc/297* | 18 x 12 | 457 x 305 | 91.38 | 500 | 42 | 58-4556 |
| | 19 x 13 | 483 x 330 | 104.5 | 500 | 42 | 58-4557 |
| | 20.75 x 29.4375 | 527 x 748 | 258 | 300 | 24 | 58-9424 |
| 130dtc/352* | 18 x 12 | 457 x 305 | 108 | 500 | 35 | 58-4558 |
| | 19 x 13 | 483 x 330 | 123.5 | 500 | 35 | 58-4559 |
| | 20.75 x 29.4375 | 527 x 748 | 305 | 250 | 24 | 58-9425 |

*dtc items are for HP Indigo use only, not designed for high-heat fusing digital presses.



mohawk

MOHAWKCONNECTS.COM

MOHAWK OPTIONS

VELLUM

| WEIGHT LBS/GSM | INCHES | MM | M WT | SHEETS/ CARTON | CARTONS/ PALLET | CODE NUMBER |
|--|---------|------------|---------|-------------------|--------------------|----------------|
| CRYSTAL WHITE / 96 bright / Inxwell / FSC | | | | | | |
| 70t/104 | 23 x 35 | 584 x 889 | 119 | 1000 | 18 | 57-4026 |
| | 25 x 38 | 635 x 965 | 140 | 1000 | 14 | 57-4027 |
| 80t/118 | 23 x 35 | 584 x 889 | 136 | 1000 | 16 | 57-4028 |
| | 25 x 38 | 635 x 965 | 160 | 1000 | 12 | 57-4029 |
| 100t/148 | 25 x 38 | 635 x 965 | 200 | 750 | 14 | 57-4031 |
| 80c/216 | 23 x 35 | 584 x 889 | 248 | 500 | 16 | 57-4034 |
| | 26 x 40 | 660 x 1016 | 320 | 500 | 12 | 57-4035 |
| 100dtc/270 | 23 x 35 | 584 x 889 | 310 | 500 | 12 | 57-4036 |
| | 26 x 40 | 660 x 1016 | 400 | 400 | 12 | 57-4037 |
| 130dtc/352 | 26 x 40 | 660 x 1016 | 520 | 300 | 12 | 57-4039 |

| | | | | | | |
|--|---------|------------|-----|------|----|---------|
| TRUE WHITE 96 / 30% pcw / 96 bright / Inxwell / FSC | | | | | | |
| 70t/104 | 23 x 35 | 584 x 889 | 119 | 1000 | 18 | 57-3234 |
| | 25 x 38 | 635 x 965 | 140 | 1000 | 14 | 57-3236 |
| 80t/118 | 23 x 35 | 584 x 889 | 136 | 1000 | 16 | 57-3242 |
| | 25 x 38 | 635 x 965 | 160 | 1000 | 12 | 57-3244 |
| 100t/148 | 23 x 35 | 584 x 889 | 169 | 750 | 16 | 57-3248 |
| | 25 x 38 | 635 x 965 | 200 | 750 | 14 | 57-3250 |
| 65c/176 | 23 x 35 | 584 x 889 | 201 | 750 | 14 | 57-3254 |
| | 26 x 40 | 660 x 1016 | 260 | 500 | 16 | 57-3256 |
| 80c/216 | 23 x 35 | 584 x 889 | 248 | 500 | 16 | 57-3262 |
| | 26 x 40 | 660 x 1016 | 320 | 500 | 12 | 57-3264 |
| 100dtc/270 | 23 x 35 | 584 x 889 | 310 | 500 | 12 | 57-3266 |
| | 26 x 40 | 660 x 1016 | 400 | 400 | 12 | 57-3268 |
| 130dtc/352 | 23 x 35 | 584 x 889 | 403 | 400 | 12 | 57-3270 |
| | 26 x 40 | 660 x 1016 | 520 | 300 | 12 | 57-3272 |

| | | | | | | |
|---|---------|------------|-----|------|----|---------|
| 100% PC WHITE / 100% pcw / Inxwell / FSC | | | | | | |
| 70t/104 | 23 x 35 | 584 x 889 | 119 | 1000 | 18 | 58-4564 |
| | 25 x 38 | 635 x 965 | 140 | 1000 | 14 | 58-4565 |
| 80t/118 | 23 x 35 | 584 x 889 | 136 | 1000 | 16 | 58-4566 |
| | 25 x 38 | 635 x 965 | 160 | 1000 | 12 | 58-4567 |
| 100t/148 | 23 x 35 | 584 x 889 | 169 | 750 | 16 | 58-4568 |
| | 25 x 38 | 635 x 965 | 200 | 750 | 14 | 58-4569 |
| 65c/176 | 26 x 40 | 660 x 1016 | 260 | 500 | 16 | 58-4571 |
| 80c/216 | 26 x 40 | 660 x 1016 | 320 | 500 | 12 | 58-4573 |
| 100dtc/270 | 23 x 35 | 584 x 889 | 310 | 500 | 12 | 58-4574 |
| | 26 x 40 | 660 x 1016 | 400 | 400 | 12 | 58-4575 |
| 130dtc/352 | 23 x 35 | 584 x 889 | 403 | 400 | 12 | 58-4576 |
| | 26 x 40 | 660 x 1016 | 520 | 300 | 12 | 58-4577 |



mohawk

MOHAWKCONNECTS.COM